## Freeform Search

Database:	US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Term:	L54 and cache
Display: Generate:	Documents in <u>Display Format</u> : Starting with Number 1  C Hit List © Hit Count C Side by Side C Image
Generate:	Search   Clear   Interrupt

DATE: Tuesday, June 01, 2004 Printable Copy Create Case

Set Name Query side by side		Hit Count S	Set Name result set
DB=PGPB,USPT; PLUR=YES; OP=ADJ			
L55	L54 and cache	18	L55
L54	L53 and @ad<20010601	55	L54
L53	(read only or read-only) adj2 flag	87	L53
L52	read only or read-only	134055	<u>L52</u>
<u>L51</u>	L50 and cache	89	L51
L50	L47 and @ad<20010601	325	<u>L50</u>
L49	L46 near3 L45 near3 includ\$3	11	<u>L49</u>
L48	L46 near3 L45 near3 augment\$3	0	<u>L48</u>
<u>L47</u>	L46 near3 L45	422	<u>L47</u>
<u>L46</u>	command or instruction or transaction or message	608376	<u>L46</u>
<u>L45</u>	read near3 flag	5599	<u>L45</u>
<u>L44</u>	L43 and flag	1	<u>L44</u>
<u>L43</u>	('6725333'  '6167402')!.PN.	2	<u>L43</u>
<u>L42</u>	L41 and (707/\$.ccls. or 709/\$.ccls.)	14	<u>L42</u>
<u>L41</u>	L40 and @ad<20010601	144	<u>L41</u>
<u>L40</u>	(augment\$3 or includ\$3)near3 read near3 flag	172	<u>L40</u>

## Freeform Search

Database	US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index	
	IBM Technical Disclosure Bulletins	
Term:	L32 and (query\$4 and cache)	
Display:	50 Documents in <u>Display Format</u> : - Starting with	n Number 1
	: C Hit List @ Hit Count C Side by Side C Image	
Generate:	Hit Eist Hit Count Blue by Side Hinage	
Generate:	The Dist is the Count is side by side is image	
Generate:	Search   Clear   Interrupt	

DATE: Tuesday, June 01, 2004 Printable Copy Create Case

Set Name Query side by side		Hit Count	Set Name result set
•	GPB,USPT; PLUR=YES; OP=ADJ		
<u>L33</u>	L32 and (query\$4 and cache)	27	L33
L32	L21 and @ad<20010601	388	L32
<u>L31</u>	L29 and L28	0	L31
<u>L30</u>	L29 same L28	0	<u>L30</u>
<u>L29</u>	lock near5 status	2348	L29
<u>L28</u>	augment\$3 near3 (transaction or instruction or command)	507	<u>L28</u>
<u>L27</u>	L26 and @ad<20010601	18	<u>L27</u>
<u>L26</u>	augment\$3 near3 (command or instruction) near3 stat\$3	19	<u>L26</u>
<u>L25</u>	L24 and @ad<20010601	37	<u>L25</u>
<u>L24</u>	augment\$3 near5 (command or instruction or transaction) near5 stat\$3	40	<u>L24</u>
<u>L23</u>	augment\$3 near3 (command or instruction or transaction) near3 stat\$3	20	<u>L23</u>
<u>L22</u>	augment\$3 near3 (command or instruction or transaction)near3 stat\$3	20	<u>L22</u>
<u>L21</u>	augment\$3 near3 (command or instruction or transaction)	507	<u>L21</u>
<u>L20</u>	L6 and commit	4	<u>L20</u>
<u>L19</u>	L6 and (phase near4 commit)	0	<u>L19</u>
<u>L18</u>	L12 and cache	1	<u>L18</u>

<u>L17</u>	L12 and phase	1	<u>L17</u>
<u>L16</u>	L12 and stat\$3	1	<u>L16</u>
<u>L15</u>	L12 and (augment\$3 near5 stat\$3)	1	<u>L15</u>
<u>L14</u>	L12 and (augment\$3 near5 stat\$3)	1	<u>L14</u>
<u>L13</u>	L12 and message	1	<u>L13</u>
<u>L12</u>	6182186.pn.	1	<u>L12</u>
<u>L11</u>	L10 and lock	1	<u>L11</u>
<u>L10</u>	6182186.pn.	1	<u>L10</u>
<u>L9</u>	L8 and augment\$3	2	<u>L9</u>
<u>L8</u>	('20010032281'  '6343339')!.PN.	2	<u>L8</u>
<u>L7</u>	L6 and (two-phase or two phase)	18	<u>L7</u>
<u>L6</u>	L4 and @ad<20010614	469	<u>L6</u>
<u>L.5</u>	augment\$3 near5 state near5 message	Ž	<u>L5</u>
<u>L4</u>	augment\$3 near5 state	591	<u>L4</u>
<u>L3</u>	augment\$3 near5 relevant state	0	<u>L3</u>
<u>L2</u>	(bipul near3 sinha).in.	1	<u>L2</u>
<u>L1</u>	09/881505	0	<u>L1</u>

## END OF SEARCH HISTORY

<u>L39</u>	augment\$3 near3 read near3 flag	5	<u>L39</u>
L38	L37 and (commit and cache)	5	<u>L38</u>
<u>L38</u>	L36 and @ad<20010601	325	<u>L38</u>
L36	(command or instruction or transaction or message)near3 L35	422	<u>L37</u>
<u>L35</u>	read near3 flag	5599	<u>L30</u> <u>L35</u>
<u>L33</u> L34	commit and queryable and cache	10	<u>L34</u>
	• •	27	
<u>L33</u>	L32 and (query\$4 and cache)		L33
<u>L32</u>	L21 and @ad<20010601	388	<u>L32</u>
<u>L31</u>	L29 and L28	0	<u>L31</u>
<u>L30</u>	L29 same L28	0	<u>L30</u>
<u>L29</u>	lock near5 status	2348	<u>L.29</u>
<u>1.28</u>	augment\$3 near3 (transaction or instruction or command)	507	<u>L28</u>
<u>L27</u>	L26 and @ad<20010601	18	<u>L.27</u>
<u>1.26</u>	augment\$3 near3 (command or instruction) near3 stat\$3	19	<u>L26</u>
<u>L25</u>	L24 and @ad<20010601	37	<u>L25</u>
<u>L24</u>	augment\$3 near5 (command or instruction or transaction) near5 stat\$3	40	<u>L24</u>
<u>L23</u>	augment\$3 near3 (command or instruction or transaction) near3 stat\$3	20	<u>L.23</u>
<u>L22</u>	augment\$3 near3 (command or instruction or transaction)near3 stat\$3	20	<u>L22</u>
<u>L21</u>	augment\$3 near3 (command or instruction or transaction)	507	<u>L21</u>
<u>L20</u>	L6 and commit	4	<u>L20</u>
<u>L19</u>	L6 and (phase near4 commit)	0	<u>L19</u>
<u>L18</u>	L12 and cache	1	<u>L18</u>
<u>L17</u>	L12 and phase	1	<u>L17</u>
<u>L16</u>	L12 and stat\$3	1	<u>L16</u>
<u>L15</u>	L12 and (augment\$3 near5 stat\$3)	1	<u>L15</u>
<u>L14</u>	L12 and (augment\$3 near5 stat\$3)	1	<u>L14</u>
L13	L12 and message	1	<u>L13</u>
<u>L12</u>	6182186.pn.	1	<u>L12</u>
L11	L10 and lock	1	L11
L10	6182186.pn.	1	L10
<u>L9</u>	L8 and augment\$3	2	<u>L9</u>
<u>L8</u>	('20010032281'  '6343339')!.PN.	2	<u>L8</u>
<u>L7</u>	L6 and (two-phase or two phase)	18	<u>L7</u>
<u>L6</u>	L4 and @ad<20010614	469	<u>L6</u>
L5	augment\$3 near5 state near5 message	2	<u>L5</u>
<u>L4</u>	augment\$3 near5 state	591	<u>L4</u>
<u>L3</u>	augment\$3 near5 relevant state	0	<u>L3</u>
<u>L2</u>	(bipul near3 sinha).in.	1	<u>L2</u>
<u>L1</u>	09/881505	0	<u>L1</u>
1,41	0/1001000	J	<u> </u>

## END OF SEARCH HISTORY